



Glamolash Mascara **

** (developed & produced by Eckart; www.eckart.net)

Collagen CLR, Follicusan™ DP, DayMoist CLR™, Vitamin F forte

FORMULA No. 144.005.01

Phase	Trade Name	INCI Name	w/w %	Supplier
A	Deionized Water	Water	Ad 100	
	OPTIGEL-WX XR	Bentonite, Xanthan Gum	2.00	BYK
	Zemea	Propanediol	2.50	
B	Emulium Delta	Cetyl Alcohol, Glyceryl Stearate, PEG-75 Stearate, Ceteth-20, Steareth-20	5.00	Gattefossé
	Lipocire A Pellets	C 10-18 Triglycerides	2.00	Gattefossé
	Kahlwax 1899	Ozokerite	2.00	Kahl Wax
	Compritol 888 CG Pastilles	Glyceryl Behenate	2.00	Gattefossé
	Cocoate BG	Butylene Glycol Cocoate	4.00	Gattefossé
C	Mirage Glamour Silver	Calcium Sodium Borosilicate, Titanium Dioxide, Tin Oxide	5.00	Eckart
	SynCrystal Soft Black	Synthetic Fluorophlogopite, Iron Oxides	7.00	Eckart
D	Euxyl PE9010*	Phenoxyethanol, Ethylhexylglycerin	1.00	Schülke
	Collagen CLR	Soluble Collagen	5.00	CLR
	Follicusan™ DP	Water, Alcohol Denat., Panthenyl Ethyl Ether, Milk Protein, Lactose, Inositol, Acetyl Cysteine, Acetyl Methionine, Sodium Citrate, Citric Acid	5.00	CLR
	DayMoist CLR™	Water, Hydrolyzed Corn Starch, Beta Vulgaris (Beet) Root Extract	1.00	CLR
	Vitamin F forte	Linoleic Acid, Linolenic Acid	0.50	CLR

Manufacture

Disperse OPTIGEL WX-XR into water. Adjust pH to 6.5 with citric acid and add Propylene Glycol. Heat Phase A and Phase B separately to 80°C. Add phase B to phase A. Cool down to 70°C and add the pigments of phase C. Cool down to 40°C and add one by one phase D. Stir until uniform and pour into an appropriate container



The recommendations and formulations given are based on our knowledge and experience in the field of technical application. They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.