

PROJECT NAME : Cutipure CLR



FORMULA NAME : Oil- & Moisture Control-Face-Beard- Stubble Fluid

TRIAL CODE : 147.002.06

Lab Formula INCI Supplier

Phase	Material Name	Mixed INCI	Supplier	% Material
A	DEIONIZED WATER	WATER	N.A.	61,93
A	ZEMEA	PROPANEDIOL	DUPONT TATE & LYLE	6,00
A	SODIUM GLUCONATE POWDER	SODIUM GLUCONATE	JUNGBUNZLAUER	0,20
A	CARBOPOL ULTREZ 30	CARBOMER	LUBRIZOL	1,00
B	DOW CORNING 2501 COSMETIC WAX	BIS-PEG-18 METHYL ETHER DIMETHYL SILANE	DOW CORNING	7,00
C	DAYMOIST CLR™	WATER HYDROLYZED CORN STARCH BETA VULGARIS (BEET) ROOT EXTRACT	CLR	3,00
C	SYRICALM CLR (PC)	WATER PHRAGMITES COMMUNIS EXTRACT PORIA COCOS EXTRACT	CLR	3,00
C	CUTIPURE CLR	WATER TARAKTOGENOS KURZII SEED OIL NIGELLA SATIVA SEED OIL LEPTOSPERMUM SCOPARIUM BRANCH/LEAF OIL POTASSIUM LAUROYL WHEAT AMINO ACIDS PALM GLYCERIDE CAPRYLOYL GLYCINE MAGNOLIA GRANDIFLORA BARK EXTRACT	CLR	3,00
D	NAOH (10%)	WATER SODIUM HYDROXIDE	N.A.	1,02
E	TEGOSOFT GMC 6	PEG-6 CAPRYLIC/CAPRIC GLYCERIDES	EVONIK	5,00
E	DERMOFEEL TOCO 70	TOCOPHEROL HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL	DR STRAETMANS	0,10
E	VITAMIN F FORTE	LINOLEIC ACID LINOLENIC ACID	CLR	0,50
F	ETHANOL (96%) DENATURED	ALCOHOL DENAT.	BERKEL AHK	8,00
F	PERFUME OIL CALABRIAN BASIL	PARFUM	DROM	0,25
				100,00

Operating instructions

Operating Instructions
Mix A and stir until uniform. Heat up A to ~45°C and add B. Stir cold, add C in the given order and stir until homogenous. Premix E and F separately. Add D, E and F while stirring, one after another with medium stirring. Mix until uniform and add F as desired.



The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well those as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability tested using a special preservative, but has not been subjected to microbiological challenge tests.