



Moisturizing Face Cream-Gel (Silicone-free)

DayMoist CLR™, Arnica Oil CLR

FORMULA No. 148.23.0796

Phase	Trade Name	INCI Name	w/w %	Supplier
A	Water	Water	ad 100	
	Keltrol CG-SFT	Xanthan Gum	1.00	CP Kelco
	Carbopol Ultrez 21	Acrylates/C 10-30 Alkyl Acrylate Crosspolymer	0.20	Lubrizol
B	Tegosoft OS	Ethylhexyl Stearate	8.00	Evonik
	Arnica Oil CLR	Glycine Soja (Soybean) Oil, Arnica Montana Flower Extract, Tocopherol	10.00	CLR
C	Euxyl PE 9010*	Phenoxyethanol, Ethylhexylglycerin	0.80	Schülke
	DayMoist CLR™	Water, Hydrolyzed Corn Starch, Beta Vulgaris (Beet) Root Extract	5.00	CLR
D	NaOH (10%)	Water, Sodium Hydroxide	q.s.	

Manufacture

Mix A in the given order, one after another and stir until completely dispersed. Add A to B while stirring. Homogenize for 3 minutes and stir until uniform. Add C in the given order and adjust pH value to ~5.5 with D.



The recommendations and formulations given are based on our knowledge and experience in the field of technical application. They are, to the best of our belief, correct, but are offered without obligation. Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

*) This formula has been manufactured and stability tested using a special preservative, but has not been subjected to microbiological challenge tests.