

PROJECT NAME : Repair Complex CLR PF



FORMULA NAME : Jelly Facial Gel Mask

TRIAL CODE : 431.004.01

Lab Formula INCI Supplier

Phase	Material Name	Mixed INCI	Supplier	% Material
A	DEIONIZED WATER	WATER	N.A.	74,3
A	EDETA B POWDER	TETRASODIUM EDTA	BASF	0,2
A	TEGO CARBOMER 341 ER	ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER	EVONIK	0,5
A	HYDROLITE-5	PENTYLENE GLYCOL	SYMRISE	5,0
A	ZEMEA	PROPANEDIOL	DUPONT TATE & LYLE	5,0
A	HISPAGEL 200Ns	GLYCERIN GLYCERYL POLYACRYLATE	BASF	5,0
B	PHYTOSAN K	WATER GLYCERIN GLYCINE SOJA (SOYBEAN) SEED EXTRACT	CLR	2,0
B	REPAIR COMPLEX CLR PF	BIFIDA FERMENT LYSATE	CLR	5,0
B	BELIDES ORG	BELLIS PERENNIS (DAISY) FLOWER EXTRACT	CLR	2,0
C	NAOH (10%)	WATER SODIUM HYDROXIDE	N.A.	1,0
				100,0

Operating instructions

Operating Instructions

Mix A and stir slowly until completely soaked. Add B under stirring and adjust pH value to ~ 6 with C.



The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well those as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability tested using a special preservative, but has not been subjected to microbiological challenge tests.