



## Soothing Face Mask (O/W)

SyriCalm™ CLR (PC), Vitamin F forte, DayMoist CLR™, Organic Calendula Oil CLR

FORMULA No. 469.06.0918

Phase	Trade Name	INCI Name	w/w %	Supplier
A	Water	Water	ad 100	
	Veegum HS Granules	Magnesium Aluminum Silicate	1.50	R.T. Vanderbilt
B	Tegin M Pellets	Glyceryl Stearate	3.00	Evonik
	Lanette O	Cetearyl Alcohol	2.00	BASF
	Montanov 68	Cetearyl Alcohol, Cetearyl Glucoside	3.50	Seppic
	<b>Organic Calendula Oil CLR</b>	Glycine Soja (Soybean) Oil, Calendula Officinalis Flower Extract, Tocopherol	<b>5.00</b>	<b>CLR</b>
	Cetiol J 600	Oleyl Erucate	8.00	BASF
	Keltrol CG-G	Xanthan Gum	0.05	CP Kelco
	<b>Vitamin F forte</b>	Linoleic Acid, Linolenic Acid	<b>1.00</b>	<b>CLR</b>
	Copherol F 1300 C	Tocopherol	0.10	BASF
C	<b>DayMoist CLR™</b>	Water, Hydrolyzed Corn Starch, Beta Vulgaris (Beet) Root Extract	<b>3.00</b>	<b>CLR</b>
	<b>SyriCalm™ CLR (PC)</b>	Water, Phragmites Communis Extract, Poria Cocos Extract	<b>3.00</b>	<b>CLR</b>
	Microcare SB*	Water, Sodium Benzoate, Potassium Sorbate	0.80	Thor GmbH
D	NaOH (10%)	Sodium Hydroxide	q.s.	

### Manufacture:

Mix A and stir until completely dispersed. Heat up A and B to ~80°C separately. Add A to B while stirring. Homogenize using an Ultra Turrax. Cool down to 40° Cand add C in the given. Homogenize and cool down while stirring. Adjust pH value to ~ 5.0 with phase D.



The recommendations and formulations given are based on our knowledge and experience in the field of technical application. They are, to the best of our belief, correct, but are offered without obligation. Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

\*) This formula has been manufactured and stability tested using a special preservative, but has not been subjected to microbiological challenge tests.