



Hand Fluid (O/W)

ProBarrier™ CLR, DayMoist CLR™

FORMULA No. 932.002.01

Phase	Trade Name	INCI Name	w/w %	Supplier
A	Water	Water	ad 100	
	Cosmedia SP	Sodium Polyacrylate	1.00	BASF
B	Emulgade PL 68/50	Cetearyl Glucoside, Cetearyl Alcohol	5.00	BASF
	Cetiol 868	Ethylhexyl Stearate	3.00	BASF
	Cetiol CC	Dicaprylyl Carbonate	5.00	BASF
	Myritol 318	Caprylic/Capric Triglyceride	3.00	BASF
C	DayMoist CLR™	Water, Hydrolyzed Corn Starch, Beta Vulgaris (Beet) Root Extract	1.00	CLR
	ProBarrier™ CLR	Water, Caprylic/Capric Triglyceride, Copernicia Cerifera (Carnauba) Wax, Decyl Glucoside, Pentylene Glycol	3.00	CLR

Manufacture

Mix A and stir until completely dispersed. Heat A and B to 80°C separately. Add A to B and homogenize for 3 minutes. Cool down while stirring. Add C and desired preservative in the given order below 30°C and stir until homogenous.



The recommendations and formulations given are based on our knowledge and experience in the field of technical application. They are, to the best of our belief, correct, but are offered without obligation. Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

*) This formula has been manufactured and stability tested using a special preservative, but has not been subjected to microbiological challenge tests.