

PROJECT NAME : Belides ORG



FORMULA NAME : Face-, Neck & Decolleté Cream OW

TRIAL CODE : 128.003.03

Lab Formula INCI Supplier

Phase	Material Name	Mixed INCI	Supplier	% Material
A	DEIONIZED WATER	WATER	N.A.	64,86
A	ZEMEA	PROPANEDIOL	DUPONT TATE & LYLE	3,00
A	DERMOFEEL PA-3	SODIUM PHYTATE	DR STRAETMANS	0,05
A	PHENYLETHYLALCOHOL NAT.	PHENYLETHYL ALCOHOL	DR STRAETMANS	0,60
A	DAYMOIST CLR™	WATER HYDROLYZED CORN STARCH BETA VULGARIS (BEET) ROOT EXTRACT	CLR	1,00
A	SYRICALM CLR (PC)	WATER PHRAGMITES COMMUNIS EXTRACT PORIA COCOS EXTRACT	CLR	3,00
A	BELIDES ORG	BELLIS PERENNIS (DAISY) FLOWER EXTRACT	CLR	5,00
B	EMULGADE CPE	VEGETABLE OIL GLYCERIN LAURYL GLUCOSIDE POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE GLYCERYL OLEATE DICAPRYLYL CARBONATE	BASF	5,00
B	CETIOL RLF	CAPRYLYL-CAPRYLATE/CAPRATE	BASF	5,00
C	NAOH (10%)	WATER SODIUM HYDROXIDE	N.A.	0,49
D	ARISTOFLEX AVC	AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER	CLARIANT	1,50
E	DEIONIZED WATER	WATER	N.A.	9,38
E	TRISODIUM CITRATE DIHYDRATE	SODIUM CITRATE	MERCK	0,12
E	MPC - MILK PEPTIDE COMPLEX	WHEY PROTEIN	CLR	0,50
F	TRÈS BN PUHP 3002	BORON NITRIDE	SAINT-GOBAIN ADVANCED CERAMICS	0,50
				100,00

Operating instructions

Operating Instructions

Premix A and B separately and stir until homogenous. Add B to A and homogenize with Ultra turrax for 1 minute. Add C and stir until uniform. Predisperse phase E. Add D-F and stir until homogenous. Adjust pH value to 6-6,5, if desired.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well those as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability tested using a special preservative, but has not been subjected to microbiological challenge tests.