

PROJECT NAME : Follicusan DP



FORMULA NAME : Power Hold Styling Gel

TRIAL CODE : 176.001.01

### Lab Formula INCI Supplier

Phase	Material Name	Mixed INCI	Supplier	% Material
A	DEIONIZED WATER	WATER	N.A.	40,0
A	LUVIGEL FIT	ACRYLATES/C10-C30 ALKYL METHACRYLATE COPOLYMER	BASF	3,0
B	LUVISKOL K 90 SOLUTION	PVP	BASF	15,0
B	ETHANOL (96%) DENATURATED	ALCOHOL DENAT.	BERKEL AHK	10,0
B	TRIETHANOLAMINE	TRIETHANOLAMINE	MERCK	0,6
B	DEIONIZED WATER	WATER	N.A.	25,9
C	FOLLICUSAN DP	WATER ALCOHOL DENAT. PANTHENYL ETHYL ETHER MILK PROTEIN LACTOSE INOSITOL ACETYL CYSTEINE ACETYL METHIONINE SODIUM CITRATE CITRIC ACID	CLR	5,0
C	EUXYL PE 9010	PHENOXYETHANOL ETHYLHEXYLGLYCERIN	SCHÜLKE	0,5
				<b>100,0</b>

### Operating instructions

#### Operating Instructions

Mix A and stir until uniform. Premix B and add it to A with strong agitation. Reduce speed after the formulation changed from milky to nearly transparent and stir slowly. Add C in the given order while stirring slowly.



The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well those as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability tested using a special preservative, but has not been subjected to microbiological challenge tests.