



## Body Repair Lotion OW

SyriCalm™ CLR (PC), Modukine™

FORMULA No. 380.004.01

Phase	Trade Name	INCI Name	w/w %	Supplier
A	Water	Water	ad 100	
	Glycerin	Glycerin	2.00	
	Keltrol CG-SFT	Xanthan Gum	0.15	CP Kelco
	Veegum Pure	Magnesium Aluminum Silicate	0.08	R.T. Vanderbilt
B	Axol C62	Glyceryl Stearate Citrate	2.00	Evonik
	Lanette O	Cetearyl Alcohol	2.00	BASF
	Lexgard Natural*	Glyceryl Caprylate, Glyceryl Undecylenate	0.80	Inolex
	Oliwax LC	Cetyl Palmitate, Sorbitan Palmitate, Sorbitan Olivatate	1.50	HallStar
	Cetiol J 600	Oleyl Erucate	4.00	BASF
	Lipex Sheasoft	Butyrospermum Parkii	3.00	AAK
	Eutanol G	Octyldodecanol	8.00	BASF
	Copherol F 1300 C	Tocopherol	0.02	BASF
C	Water	Water	9.38	
	Trisodium Citrate Dihydrate	Sodium Citrate	0.12	
	<b>Modukine™</b>	Lactose, Milk Protein	<b>0.50</b>	<b>CLR</b>
	<b>SyriCalm™ CLR (PC)</b>	Water, Phragmites Communis Extract, Poria Cocos Extract	<b>3.00</b>	<b>CLR</b>
	NaOH (10%)	Water, Sodium Hydroxide	q.s.	

### Manufacture:

Predisperse Veegum Pure in Water and add other ingredients of phase A. Heat phase A and B to 80° C. Add phase A to B and homogenize. Cool down to 40° C and add phase C. Homogenize and cool down to room temperature under medium stirring. Adjust pH value with NaOH, if necessary.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application. They are, to the best of our belief, correct, but are offered without obligation. Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

\*) This formula has been manufactured and stability tested using a special preservative, but has not been subjected to microbiological challenge tests.