



Lumi Touch Concealer for Ethnic Skin (O/W)

PhytoDefense CLR™, DayMoist CLR™, Belides™ ORG

FORMULA No. 395.06.1031

Phase	Trade Name	INCI Name	w/w %	Supplier
A	Water	Water	ad 100	
	Solagum AX	Acacia Senegal Gum, Xanthan Gum	0,50	Seppic
B	Olivem 1000	Cetearyl Oliviate, Sorbitan Oliviate	5,00	HallStar
	Oliwax LC	Cetyl Palmitate, Sorbitan Palmitate, Sorbitan Oliviate	4,00	HallStar
	Tegosoft AC	Isoamyl Cocoate	10,00	Evonik
C	PhytoDefense CLR™	Glycine Soja (Soybean) Oil, Dicaprylyl Ether, Magnolia Grandiflora Bark Extract, Lauryl Alcohol	3,00	CLR
D	Prestige Soft Beige	Mica, Titanium Dioxide, Iron Oxide	3,00	Sudarshan
	Prestige Soft Silver	Mica, Titanium Dioxide	3,00	Sudarshan
E	DayMoist CLR™	Water, Hydrolyzed Corn Starch, Beta Vulgaris (Beet) Root Extract	3,00	CLR
	Belides™ ORG	Bellis Perennis (Daisy) Flower Extract	2,00	CLR
	Microcare SB*	Water, Sodium Benzoate, Potassium Sorbate	0,80	Thor GmbH

Manufacture:

Disperse A for 10 minutes at 1100-1300 rpm while stirring. Heat up A and B to 75°C. Add B to A under stirring. Add C below 40°C and stir cold. Add E in the given order at room temperature and stir until homogenous.



The recommendations and formulations given are based on our knowledge and experience in the field of technical application. They are, to the best of our belief, correct, but are offered without obligation. Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

*) This formula has been manufactured and stability tested using a special preservative, but has not been subjected to microbiological challenge tests.