

Pre Treatment Body Lotion (O/W)

Phytosan™ PP, DayMoist CLR™

FORMULA No. 419.09.0826



Phase	Trade Name	INCI Name	w/w %	Supplier
A	Water		ad 100	Eckart
	Edeta B	Tetrasodium EDTA	0.30	BASF
	Keltrol T	Xanthan Gum	0.50	CP Kelco
B	Eumulgin SG	Sodium Stearoyl Glutamate	0.25	BASF
	Emulgade Sucro	Sucrose Polystearate, Hydrogenated Polyisobutene	1.50	BASF
	Cutina GMS-V	Glyceryl Stearate	1.00	BASF
	Lanette O	Cetearyl Alcohol	1.50	BASF
	Cetiol 868	Ethylhexyl Stearate	4.00	BASF
	Isopropyl Palmitate	Isopropyl Palmitate	4.00	BASF
	Cetiol J 600	Oleyl Erucate	1.50	BASF
	Cosmedia SP	Sodium Polyacrylate	0.20	BASF
	Copherol F 1300 C	Tocopherol	0.50	BASF
C	Geogard Ultra*	Gluconolactone, Sodium Benzoate	2.00	Lonza
	DayMoist CLR™	Water, Hydrolyzed Corn Starch, Beta Vulgaris (Beet) Root Extract	1.00	CLR
	Phytosan™ PP	Water, Glycerin, Glycine Soja (Soybean) Phytoplacenta Extract	3.00	CLR
D	NaOH (10%)	Water, Sodium Hydroxide	q.s.	

Manufacture:

Mix A in the given order and stir until completely dispersed. Heat up A and B to 80°C separately. Add A to B while stirring slowly. Homogenize for 3 minutes by Ultra Turrax (12800 rpm) at 55°C. Cool down while stirring and add C in the given order, one after another. Adjust pH value to ~6 with D.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application. They are, to the best of our belief, correct, but are offered without obligation. Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

*) This formula has been manufactured and stability tested using a special preservative, but has not been subjected to microbiological challenge tests.