



Natural Moisturizing Face Care for Sensitive Skin (O/W)

SyriCalm™ CLR, Arnica Oil CLR, Vitamin F forte, DayMoist CLR™

FORMULA No. 468.002.01

| Phase | Trade Name | INCI Name | w/w % | Supplier |
|-------|---------------------------|--|------------|---------------|
| A | Cutina GMS-SE | Glyceryl Stearate SE | 5.5 | BASF |
| | Cutina FS 45 | Stearic Acid, Palmitic Acid | 1.5 | BASF |
| | Lanette O | Cetearyl Alcohol | 3.0 | BASF |
| | Vitamin F forte | Linoleic Acid, Linolenic Acid | 1.0 | CLR |
| | LexFeel Natural | Heptyl Undecylenate | 8.0 | Inolex |
| | Arnica Oil CLR | Glycine Soja (Soybean) Oil, Arnica Montana Flower Extract, Tocopherol | 6.0 | CLR |
| | Myritol 312 | Caprylic/Capric Triglyceride | 6.0 | BASF |
| | Dermofeel Toco 70 non GMO | Tocopherol, Helianthus Annuus (Sunflower) Seed Oil | 0.5 | dr.straetmans |
| | Rhodicare T | Xanthan Gum | 0.2 | Rhodia |
| B | Water | Water | ad 100 | |
| C | DayMoist CLR™ | Water, Hydrolyzed Corn Starch, Beta Vulgaris (Beet) Root Extract | 1.0 | CLR |
| | SyriCalm™ CLR | Water, Phragmites Kharka Extract, Poria Cocos Extract | 3.0 | CLR |
| | Polysol NK Plus* | Water, Potassium Sorbate, Arginine, Sorbic Acid, Glycerin, Rosmarinic Acid | 1.0 | Polygon |

Manufacture

Heat up A and B separately to 70°C-75°C. Add B to A and homogenize for 3 minutes. Cool down while stirring and add C in the given order, one after another at room temperature. Stir until uniform.



The recommendations and formulations given are based on our knowledge and experience in the field of technical application. They are, to the best of our belief, correct, but are offered without obligation. Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

*) This formula has been manufactured and stability tested using a special preservative, but has not been subjected to microbiological challenge tests.