

PROJECT NAME : ProBarrier CLR



FORMULA NAME : Anti-Pollution Scalp Shield

TRIAL CODE : 932.005.02

Lab Formula INCI Supplier

<i>Phase</i>	<i>Material Name</i>	<i>Mixed INCI</i>	<i>Supplier</i>	<i>% Material</i>
A	DEIONIZED WATER	WATER	N.A.	76,40
A	EUXYL PE 9010	PHENOXYETHANOL ETHYLHEXYLGLYCERIN	SCHÜLKE	0,50
A	ZEMEA	PROPANEDIOL	DUPONT TATE & LYLE	5,00
A	PEMULEN TR-1	ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER	LUBRIZOL	0,30
B	PHYTODEFENSE CLR	GLYCINE SOJA (SOYBEAN) OIL DICAPRYLYL ETHER MAGNOLIA GRANDIFLORA BARK EXTRACT LAURYL ALCOHOL	CLR	3,00
B	LEXFEEL NATURAL	HEPTYL UNDECYLENATE	INOLEX	1,00
C	NAOH (10%)	WATER SODIUM HYDROXIDE	N.A.	0,80
D	MODUKINE	LACTOSE MILK PROTEIN	CLR	0,50
D	TRISODIUM CITRATE DIHYDRATE	SODIUM CITRATE	MERCK	0,12
D	DEIONIZED WATER	WATER	N.A.	9,38
E	PROBARRIER CLR	WATER CAPRYLIC/CAPRIC TRIGLYCERIDE COPERNICIA CERIFERA (CARNAUBA) WAX DECYL GLUCOSIDE PENTYLENE GLYCOL	CLR	3,00
				100,00

Operating instructions

Operating Instructions

Mix A and let it completely soaked. Premix B, stir until uniform and add it to A. Homogenize for 3 minutes with Ultra Turrax and add C. Stir until homogenous. Add premixed D and E in the given order. Stir until uniform.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well those as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability tested using a special preservative, but has not been subjected to microbiological challenge tests.