



Anti-Aging Day Care OW

Elastin CLR, Collagen CLR

FORMULA No. 150.23.0747_1

Phase	Trade Name	INCI Name	w/w %	Supplier
A	Deionized Water	Water	ad 100	
	Glycerin (86%)	Glycerin	4.00	G H
	Keltrol RD	Xanthan Gum	0.20	CP Kelco
	Arlacel LC	Sorbitan Stearate, Sorbityl Laurate	4.50	Croda
B	Nacol 16-95	Cetyl Alcohol	1.00	Sasol
	Tegosoft DEC	Diethylhexyl Carbonate	4.00	Evonik
	Tegosoft OP	Ethylhexyl Palmitate	6.00	Evonik
	Tegosoft TN	C 12-15 Alkyl Benzoate	4.00	Evonik
C	Euxyl PE 9010	Phenoxyethanol, Ethylhexylglycerin	0.80	Schuelke
	Collagen CLR	Soluble Collagen	4.00	CLR
	Elastin CLR	Hydrolyzed Elastin	6.00	CLR
D	NaOH (10%)	K UNYŹ Sodium Hydroxide	q.s.	

Manufacture:

Mix A in the given order and stir until completely dispersed, one after another. Heat up A and B to 80°C separately. Add B to A and homogenize for 3 minutes. Cool down while stirring and add C in the given order at room temperature. Adjust pH value to 5.5-6 with D.

Directions for use:

Apply on the face and gently rub in until absorbed.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application. They are, to the best of our belief, correct, but are offered without obligation. Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com