



Powerful Lash Boosting Eyeliner "Black Petrol" **

** (developed & produced by Eckart; www.eckart.net)

Follicusan™ DP, Vitamin F forte, DayMoist CLR™

FORMULA No. 176.013.01

Phase	Trade Name	INCI Name	w/w %	Supplier
A	Deionized Water	Water	ad 100	
	OPTIGEL-WX	Bentonite, Xanthan Gum	2.00	BYK
	Citric Acid (10%)	Water, Citric Acid	q.s.	
B	SynCrystal Soft Black	Synthetic Fluorphlogopite, Iron Oxides	6.00	Eckart
	SynCrystal Sapphire	Synthetic Fluorphlogopite, Titanium Dioxide, Ferric Ferrocyanide, Tin Oxide	4.00	Eckart
	SynCrystal Jade	Synthetic Fluorphlogopite, Titanium Dioxide, Iron Oxides, Ferric Ferrocyanide, Tin Oxide	4.00	Eckart
C	Baycusan C1004	Polyurethane-35	8.00	Covestro
	Vitamin F forte	Linoleic Acid, Linolenic Acid	0.50	CLR
	Copherol F1300 C	Tocopherol	0.20	BASF
	Euxyl PE9010	Phenoxyethanol, Ethylhexylglycerin	0.80	Schuelke
	DayMoist CLR™	Water, Hydrolyzed Corn Starch, Beta Vulgaris (Beet) Root Extract	1.00	CLR
	Follicusan™ DP	Water, Alcohol Denat., Panthenyl Ethyl Ether, Milk Protein, Lactose, Inositol, Acetyl Cysteine, Acetyl Methionine, Sodium Citrate, Citric Acid	5.00	CLR

Manufacture:

Disperse OPTIGEL-WX into water and stir for 10min. under high sheer and adjust pH to 7.0 with citric acid. Add the pigments of phase B and stir until uniform. Add one by one the ingredients of phase C.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application. They are, to the best of our belief, correct, but are offered without obligation. Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com