



Hydrating & Protective Mineral Sun Cream WO
III-1.385.05

<i>Phase</i>	<i>Material Name</i>	<i>US INCI</i>	<i>Supplier</i>	<i>% Material</i>
A	Deionized Water	Water	N.A.	51.94
A	Dissolvine GL-38	Tetrasodium Glutamate Diacetate Water Sodium Hydroxide	Nouryon	0.10
A	Trisodium Citrate Dihydrate	Sodium Citrate	Merck	0.15
A	Butylene Glycol	Butylene Glycol	Merck	5.00
A	Euxyl K 900	Benzyl Alcohol Ethylhexylglycerin Tocopherol	Ashland	0.70
A	MultiMoist CLR™	Fructooligosaccharides Beta Vulgaris (Beet) Root Extract Water	CLR	3.00
B	Dehymuls PGPH	Polyglyceryl-2 Dipolyhydroxystearate	BASF	4.00
B	Lameform TGI MB	Polyglyceryl-3 Diisostearate	BASF	2.00
B	Copherol F 1300 C	Tocopherol	BASF	0.11
B	DUB DNPG	Neopentyl Glycol Diheptanoate	Stearinerie Dubois	5.00
B	Cetiol CC	Dicaprylyl Carbonate	BASF	5.00
B	Super Sperse Natural 80C	Zinc Oxide Caprylic/Capric Triglyceride Polyhydroxystearic Acid	Vizor	20.00
C	G+C Complex CLR™	Bifida Ferment Lysate	CLR	1.00
C	Phytosan™ K	Water Glycerin Glycine Soja (Soybean) Seed Extract	CLR	2.00
				100.00000

Operating Instructions

Heat up A and B separately to 80°C. Add A to B under stirring slowly. Cool down under stirring to 50°C and add C in this order. Homogenize for 3 minutes and stir until uniform.

Directions for use:

Apply evenly and liberally to face, preferably 15 minutes prior to sun exposure.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com