



Conditioner for Damaged Hair OW

Curasan™

FORMULA No. 241.09.0277_2

Phase	Trade Name	INCI Name	w/w %	Supplier
A	Abil Soft AF 100	Methoxy PEG/PPG-7/3 Aminopropyl Dimethicone	0.50	Evonik
	Nacol 16-98	Cetyl Alcohol	2.00	Sasol
	Varisoft BT 85	Behentrimonium Chloride	1.00	Evonik
B	Deionized Water	Water	ad 100	
	Glycerin (86%)	Glycerin	2.00	
C	Microcare MT	Water, Methylisothiazolinone	0.10	Thor GmbH
D	Curasan™	Water, Decyl Glucoside, Panthenyl Ethyl Ether, Glyceryl Laurate, Tocopheryl Acetate, Phytantriol, Lactic Acid, Chitosan	2.00	CLR
E	NaOH (10%)	Water, Sodium Hydroxide	q.s.	

Manufacture:

Heat up part A and B to approx. 80°C separately until A is completely melted. Stir A into B, homogenize and cool down under stirring below 30°C. Add C and D. Stir until uniform and adjust pH value to 5.4 with E.

Directions for use:

Apply and work into the hair for 1–2 minutes. Then rinse with warm water.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application. They are, to the best of our belief, correct, but are offered without obligation. Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com