



Ready To Win Hydrating Serum OW  
I-108.106.03B

<i>Phase</i>	<i>Material Name</i>	<i>US INCI</i>	<i>Supplier</i>	<i>% Material</i>
A	Tego Care PBS 6 MB	Polyglyceryl-6 Stearate Polyglyceryl-6 Behenate	Evonik	3.25
A	Tegosoft SH	Stearyl Heptanoate	Evonik	5.00
A	Tegosoft DC MB	Decyl Cocoate	Evonik	3.00
A	Keltrol T Plus	Xanthan Gum	CP Kelco	0.45
B	Deionized Water	Water	N.A.	76.25
C	<b>Ceramide Complex CLR (P)</b>	Water Phospholipids Sphingolipids	CLR	5.00
C	<b>CutiFine CLR™</b>	Water Gypsophila Vaccaria Flower/Leaf/Stem Extract Adansonia Digitata (Baobab) Pulp Extract	CLR	3.00
C	<b>MultiMoist CLR™</b>	Fructooligosaccharides Beta Vulgaris (Beet) Root Extract Water	CLR	3.00
C	Euxyl K 900	Benzyl Alcohol Ethylhexylglycerin Tocopherol	Ashland	0.80
D	NaOH (32%)	Water Sodium Hydroxide	N.A.	0.10
E	Perfume Herbs	Fragrance	Voegelé	0.15
				<b>100.00</b>

#### *Operating Instructions*

Heat up A and B to 70-75°C separately. Add A to B while stirring and homogenize. Cool down while stirring and add C in this order below 30°C. Adjust pH-value to 5-5.5 and add E as desired.

Directions for use:

Take a pea-sized amount and gently massage into the skin.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - [www.clr-berlin.com](http://www.clr-berlin.com)