



Night Therapy Lotion to Oil Treatment OW  
I-115.130.01A

<b>Phase</b>	<b>Material Name</b>	<b>US INCI</b>	<b>Supplier</b>	<b>% Material</b>
A	Deionized Water	Water	N.A.	37.78
A	Sodium Benzoate	Sodium Benzoate	Azelis	0.55
B	Eumulgin SG	Sodium Stearoyl Glutamate	BASF	0.24
B	Eumulgin VL 75	Lauryl Glucoside Polyglyceryl-2 Dipolyhydroxystearate Glycerin	BASF	4.00
B	Lanette 22	Behenyl Alcohol	BASF	4.25
B	Myritol 318 MB	Caprylic/Capric Triglyceride	BASF	15.00
B	Cetiol LC	Coco-Caprylate/Caprate	BASF	15.00
B	Cetiol C 5	Coco-Caprylate	BASF	15.00
C	Verdessence Xanthan	Xanthan Gum	BASF	0.35
D	<b>CefiraProtect CLR™</b>	Betaine Isomalt Lactobacillus Ferment Lysate Kefiran	CLR	3.00
D	<b>G+C Complex CLR™</b>	Bifida Ferment Lysate	CLR	1.00
D	<b>ProRenew Complex CLR™</b>	Lactococcus Ferment Lysate	CLR	3.00
E	Lactic Acid (80%)	Lactic Acid Water	N.A.	0.48
F	Perfume Round cup PMF	Fragrance	Voegele	0.35
				<b>100.00</b>

#### **Operating Instructions**

Heat up A to 85°C while stirring. Heat up B to 85°C too. Add B to A under stirring and then C. Cool down while stirring below 40°C. Add D and stir until homogeneous. Stop stirring at 30°C. Adjust pH value to 5 with E. Add F as desired.

Directions for use:

Take a pea-sized amount and massage into the skin gently.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - [www.clr-berlin.com](http://www.clr-berlin.com)