



Skin Biome Foundation OW  
I-17.385.02A

Phase	Material Name	US INCI	Supplier	% Material
A	Montanov 68 MB	Cetearyl Alcohol Cetearyl Glucoside	SEPPIC	3.00
A	Montanov 202	Arachidyl Alcohol Behenyl Alcohol Arachidyl Glucoside	SEPPIC	3.00
A	Eutanol G	Octyldodecanol	BASF	2.00
A	Cetiol C 5	Coco-Caprylate	BASF	5.00
A	Cutina FS 45	Stearic Acid Palmitic Acid	BASF	1.00
A	<b>CutiBiome CLR™</b>	Octyldodecanol Leptospermum Scoparium Branch/Leaf Oil Piper Nigrum Seed Extract Magnolia Officinalis Bark Extract	CLR	3.00
B	Deionized Water	Water	N.A.	68.55
B	EDETA B Powder	Tetrasodium EDTA	BASF	0.05
B	Rheocare XGN	Xanthan Gum	BASF	0.25
B	MiyoAQUA White TSR	Titanium Dioxide Aluminum Hydroxide Algin	Miyoshi	6.00
B	MiyoAQUA Yellow	Iron Oxides Algin	Miyoshi	0.80
B	MiyoAQUA Red	Iron Oxides Algin	Miyoshi	0.20
B	MiyoAQUA Black NH	Iron Oxides Algin	Miyoshi	0.05
C	Euxyl PE9010	Phenoxyethanol Ethylhexylglycerin	Ashland	0.80
C	<b>MultiMoist CLR™</b>	Fructooligosaccharides Beta Vulgaris (Beet) Root Extract Water	CLR	3.00
C	<b>ProRenew Complex CLR™</b>	Lactococcus Ferment Lysate	CLR	3.00
D	NaOH (32%)	Water Sodium Hydroxide	N.A.	0.10
E	Perfume Talk To Me	Fragrance	IFF	0.20
				<b>100.00</b>

#### Operating Instructions

Mix A and predisperse phase B until completely soaked and uniform. Heat up A and B to 80°C separately. Add B to A and homogenize for 3 minutes with Ultra Turrax. Cool down while stirring and add C in the given order below 30°C, one after another and stir until homogeneous. Adjust pH value to 5.5 with D. Add E as desired.

Directions for use:

Apply as a last step in your skincare regimen. Take a pea sized amount and gently massage into the skin.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - [www.clr-berlin.com](http://www.clr-berlin.com)