



Light Night Repair Fluid OW  
I-46.205.01

<i>Phase</i>	<i>Material Name</i>	<i>US INCI</i>	<i>Supplier</i>	<i>% Material</i>
A	Deionized Water	Water	N.A.	74.81
A	Cosmedia SP	Sodium Polyacrylate	BASF	0.50
B	Emulgade PL 68/50	Cetearyl Alcohol Cetearyl Glucoside	BASF	3.00
B	Cutina GMS-V	Glyceryl Stearate	BASF	1.00
B	Myritol 331 MB	Cocoglycerides	BASF	1.00
B	Cetiol CC	Dicaprylyl Carbonate	BASF	3.00
B	Abil 350	Dimethicone	Evonik	0.50
C	Deionized Water	Water	N.A.	9.50
C	<b>MPC™ - Milk Peptide Complex</b>	Whey Protein	CLR	0.50
D	Euxyl PE9010	Phenoxyethanol Ethylhexylglycerin	Ashland	0.80
D	Dry-Flo Plus	Aluminum Starch Octenylsuccinate	Nouryon	2.00
D	<b>Glycoderm™ (P)</b>	Water Honey Phospholipids Sphingolipids Hyaluronic Acid	CLR	3.00
E	NaOH (10%)	Water Sodium Hydroxide	N.A.	0.39
				<b>100.00</b>

#### **Operating Instructions**

Mix A and stir until completely dispersed. Heat up A and B to 80-85°C separately. Add B to A while stirring and homogenize for 1 minute. Cool down while stirring, predisperse C and add in to AB below 30°C. Stir until homogeneous, add D in the given order and adjust pH value to 6-6.5 with E.

Directions for use:

Apply on the face and gently rub until it is absorbed.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - [www.clr-berlin.com](http://www.clr-berlin.com)