



Repair Foot Cream OW
I-51.380.01_2

<i>Phase</i>	<i>Material Name</i>	<i>US INCI</i>	<i>Supplier</i>	<i>% Material</i>
A	Deionized Water	Water	N.A.	63.30
A	Glycerin 86%	Glycerin Water	Gustav Heess	2.00
A	Keltrol CG-SFT	Xanthan Gum	CP Kelco	0.15
A	Veegum Pure	Magnesium Aluminum Silicate	Vanderbilt Minerals	0.08
B	Axol C 62 Pellets MB	Glyceryl Stearate Citrate	Evonik	2.00
B	Lanette O MB	Cetearyl Alcohol	BASF	2.00
B	LexGard Natural MB	Glyceryl Caprylate Glyceryl Undecylenate	INOLEX	0.80
B	Oliwax LC	Cetyl Palmitate Sorbitan Palmitate Sorbitan Oliviate	Hallstar	1.50
B	Cetiol J 600	Oleyl Erucate	BASF	4.00
B	Lipex SheaSoft	Butyrospermum Parkii (Shea) Butter	AAK	3.00
B	Eutanol G	Octyldodecanol	BASF	8.00
B	Copherol F 1300 C	Tocopherol	BASF	0.02
C	Deionized Water	Water	N.A.	9.38
C	Trisodium Citrate Dihydrate	Sodium Citrate	Merck	0.12
C	Modukine™	Lactose Milk Protein	CLR	0.50
C	SyriCalm™ CLR (PC)	Water Phragmites Communis Extract Poria Cocos Extract	CLR	3.00
D	NaOH (10%)	Water Sodium Hydroxide	N.A.	0.15
				100.00

Operating Instructions

Mix A and stir until uniform. Heat up A and B to 80°C. Add A to B and homogenize for 2 minutes. Cool down to 40°C and add C. Homogenize again for a short time. Stir cold under medium stirring. Adjust pH value to 6-7 with D.

Directions for use:

Use the foot cream on cleansed skin and gently massage in until absorbed.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com