

Pro-Ceramide Conditioner OW I-67.106.01A

Phase	Material Name	US INCI	Supplier	% Material
A	Lanette O MB	Cetearyl Alcohol	BASF	3.50
A	Myritol 318 MB	Caprylic/Capric Triglyceride	BASF	1.00
A	Copherol F 1300 C	Tocopherol	BASF	0.01
В	Deionized Water	Water	N.A.	85.66
В	Dehyquart A-CA	Cetrimonium Chloride	BASF	4.00
С	Sodium Benzoate	Sodium Benzoate	Azelis	0.45
С	Ceramide Complex CLR PE-F	Water Pentylene Glycol Phospholipids Sphingolipids	CLR	5.00
D	Citric Acid (50%)	Citric Acid Water	N.A.	0.13
E	Perfume Aloe Flower KWS	Fragrance	Frey+Lau	0.25
				100.00

Operating Instructions

Heat up A and B to 80°C-85°C separately. Add B to A while stirring. Homogenize at 50°C-55°C with Ultra Turrax. Cool down while stirring and add C in this order below 30°C. Adjust pH value to 4.5-4.9 with D. Add E as desired.

Directions for use:

Apply a liberal amount of conditioner on wet hair from roots to the ends. Leave in at least 1-2 minutes. Rinse well.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com