

Come As You Are - No Compromise Eye Cream OW I-68.138.04B\_1

Phase	Material Name	US INCI	Supplier	% Material
A	Deionized Water	Water	N.A.	73.362
A	Glycerol 85%, vegetable Ph. Eur.	Glycerin	Gustav Heess	2.800
A	Keltrol T Plus	Xanthan Gum	CP Kelco	0.450
A	Trisodium Citrate Dihydrate	Sodium Citrate	Merck	0.300
В	Olivem 1000 MB	Cetearyl Olivate Sorbitan Olivate	Hallstar	5.000
В	Cetiol C 5C	Coco-Caprylate/Caprate	BASF	4.000
В	Cetiol J 600	Oleyl Erucate	BASF	1.000
В	Lanette O MB	Cetearyl Alcohol	BASF	1.000
В	Timica Soft Luster White 6500	Mica Titanium Dioxide	Sun Chemical	0.210
В	Timica Terra Yellow MN4502	Mica Iron Oxides Titanium Dioxide	Sun Chemical	0.030
В	Timica Terra Red MN4506	Mica Iron Oxides Titanium Dioxide	Sun Chemical	0.015
В	Timica Terra Black MN4498	Mica Iron Oxides Titanium Dioxide	Sun Chemical	0.003
С	Cetiol Ultimate	Undecane Tridecane	BASF	1.000
D	Euxyl K 900	Benzyl Alcohol Ethylhexylglycerin Tocopherol	Ashland	0.800
D	CutiGuard CLR™	Betaine Sucrose Hydrolyzed Rhodophyceae Extract Water	CLR	3.000
D	JuvenEye CLR™	Bellis Perennis (Daisy) Flower Extract Hieracium Pilosella (Hawkweed) Extract	CLR	3.000
E	Chione HD Crisp Gold S230V	Synthetic Fluorphlogopite Titanium Dioxide	Sun Chemical	0.700
E	AnnonaSense CLR™	Annona Cherimola Fruit Extract	CLR	3.000
E	Perfume Criste Marine PMF WS	Fragrance	Voegele	0.250
F	NaOH (32%)	Water Sodium Hydroxide	N.A.	0.080
				100.000

## **Operating Instructions**

Mix A and heat up to 75-80°C. Mix B and heat up to 70-75°C. Add B to A and homogenize for a few minutes. Add C below 60°C and cool down to room temperature under gentle stirring. Below 30°C add D-E in this order and homogenize again. Adjust pH value to 6-6.3 with F.

## Directions for use:

Take a pea-sized amount of the cream and tap into the skin under the eyes in the morning.

 $The \ recommendations \ and \ formulations \ given \ are \ based \ on \ our \ knowledge \ and \ experience \ in \ the \ field \ of \ technical \ application.$ 

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com



Come As You Are - No Compromise Eye Cream OW I-68.138.04B\_1

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com