



Ready To Go Flawless Primer OW  
I-68.138.07A\_2

<i>Phase</i>	<i>Material Name</i>	<i>US INCI</i>	<i>Supplier</i>	<i>% Material</i>
A	Deionized Water	Water	N.A.	71.07
A	Glycerol 85%, vegetable Ph. Eur.	Glycerin	Gustav Heess	2.80
A	Keltrol T Plus	Xanthan Gum	CP Kelco	0.45
A	Trisodium Citrate Dihydrate	Sodium Citrate	Merck	0.30
B	Olivem 1000 MB	Cetearyl Oliviate Sorbitan Oliviate	Hallstar	5.00
B	Cetiol C 5C	Coco-Caprylate/Caprata	BASF	4.00
B	Cetiol J 600	Oleyl Erucate	BASF	1.00
B	Lanette O MB	Cetearyl Alcohol	BASF	1.25
C	Cetiol Ultimate	Undecane Tridecane	BASF	1.00
D	Euxyl K 900	Benzyl Alcohol Ethylhexylglycerin Tocopherol	Ashland	0.80
D	<b>CutiGuard CLR™</b>	Betaine Sucrose Hydrolyzed Rhodophyceae Extract Water	CLR	3.00
D	<b>CutiFine CLR™</b>	Water Gypsophila Vaccaria Flower/Leaf/Stem Extract Adansonia Digitata (Baobab) Pulp Extract	CLR	3.00
D	<b>AnnonaSense CLR™</b>	Annona Cherimola Fruit Extract	CLR	3.00
E	RonaFlair Flawless	Silica Titanium Dioxide Iron Oxides	Merck	1.50
E	Timiron Halo White	Synthetic Fluorphlogopite Titanium Dioxide Tin Oxide	Merck	1.50
E	Perfume Morning Dew PMF	Fragrance	Voegele	0.25
F	NaOH (32%)	Water Sodium Hydroxide	N.A.	0.08
				<b>100.00</b>

#### ***Operating Instructions***

Mix A and heat up to 75-80°C. Mix B and heat up to 70-75°C. Add B to A and homogenize for a few minutes. Add C below 60°C and cool down to room temperature under gentle stirring. Below 30°C add D-E in this order and homogenize again. Adjust pH value to 5.5-6 with F, if necessary.

Directions for use:

Take a pea-sized amount, apply to entire face, around eyes and lips before applying foundation.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - [www.clr-berlin.com](http://www.clr-berlin.com)