



Go for Gold Postbiotic Care OW
I-68.138.11A

Phase	Material Name	US INCI	Supplier	% Material
A	Deionized Water	Water	N.A.	75.78
A	DUB DIOL	Methylpropanediol	Stearinerie Dubois	3.00
A	Keltrol T Plus	Xanthan Gum	CP Kelco	0.45
A	Trisodium Citrate Dihydrate	Sodium Citrate	Merck	0.30
B	Olivem 1000 MB	Cetearyl Olivat Sorbitan Olivat	Hallstar	5.00
B	Cetiol J 600	Oleyl Erucate	BASF	4.00
B	Cetiol C 5	Coco-Caprylate	BASF	1.00
B	Lanette O MB	Cetearyl Alcohol	BASF	1.50
C	Cetiol Ultimate	Undecane Tridecane	BASF	1.00
D	Euxyl K 900	Benzyl Alcohol Ethylhexylglycerin Tocopherol	Ashland	0.80
D	CutiGuard CLR™	Betaine Sucrose Hydrolyzed Rhodophyceae Extract Water	CLR	3.00
D	G+C Complex CLR™	Bifida Ferment Lysate	CLR	1.00
D	ProRenew Complex CLR™	Lactococcus Ferment Lysate	CLR	3.00
D	Perfume Everybody	Fragrance	Voegele	0.15
E	Puricolor Red ARE 33 FDA (0.4%)	Water Acid Red 33	BASF	0.02
				100.00

Operating Instructions

Mix A and heat up to 75-80°C. Mix B and heat up to 70-75°C. Add B to A and homogenize for a few minutes. Add C below 60°C and cool down to room temperature under gentle stirring. Add D in this order below 30°C and homogenize for a short moment. Add E as desired and stir until uniform.

Directions for use:

Take a pea-sized amount of the cream and gently massage into the skin after cleansing.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com