



Cooling Silk Emulsion OW
I-71.138.02A

<i>Phase</i>	<i>Material Name</i>	<i>US INCI</i>	<i>Supplier</i>	<i>% Material</i>
A	UniqSens SFE System	Pectin Xanthan Gum Carrageenan	CP Kelco	1.95
A	CutiBiome CLR™	Octyldodecanol Leptospermum Scoparium Branch/Leaf Oil Piper Nigrum Seed Extract Magnolia Officinalis Bark Extract	CLR	3.00
A	Perfume Everybody	Fragrance	Voegele	0.25
B	Deionized Water	Water	N.A.	85.15
B	CutiGuard CLR™	Betaine Sucrose Hydrolyzed Rhodophyceae Extract Water	CLR	3.00
B	ProRenew Complex CLR™	Lactococcus Ferment Lysate	CLR	3.00
B	Dermosoft 1388 eco	Glycerin Water Sodium Levulinate Sodium Anisate	Evonik	3.50
C	NaOH (10%)	Water Sodium Hydroxide	N.A.	0.07
D	Puricolor Blue ABL9-X FDA (0.2%)	Water Acid Blue 9	BASF	0.08
				100.00

Operating Instructions

Mix A and B separately. Add B to A while stirring and homogenize until uniform. Adjust pH value to 5.3 with C and add D as desired.

Directions for use:

Take a pea-sized amount and gently massage into the skin.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com