



Perfect Glow Cream Mask OW
I-87.135.02

Phase	Material Name	US INCI	Supplier	% Material
A	Deionized Water	Water	N.A.	39.59
A	EDTA	Disodium EDTA	N.A.	0.10
A	Verdessence Xanthan	Xanthan Gum	BASF	0.30
A	Glycerol 85%, vegetable Ph. Eur.	Glycerin	Gustav Heess	1.00
B	NaOH (10%)	Water Sodium Hydroxide	N.A.	1.50
C	Glycerol 85%, vegetable Ph. Eur.	Glycerin	Gustav Heess	5.00
C	Zemea	Propanediol	Primient Covation LLC	3.00
C	Deionized Water	Water	N.A.	12.50
C	ImerCare 04K	Kaolin	Imerys	15.00
D	Sensanov WR	C20-22 Alkyl Phosphate C20-22 Alcohols	SEPPIC	3.00
D	Cutina PES	Pentaerythrityl Distearate	BASF	2.00
D	Lanette 16 MB	Cetyl Alcohol	BASF	2.00
D	CutiBiome CLR™	Octyldodecanol Leptospermum Scoparium Branch/Leaf Oil Piper Nigrum Seed Extract Magnolia Officinalis Bark Extract	CLR	3.00
D	Myritol 318 MB	Caprylic/Capric Triglyceride	BASF	5.00
E	Euxyl K 900	Benzyl Alcohol Ethylhexylglycerin Tocopherol	Ashland	0.80
E	ProRenew Complex CLR™	Lactococcus Ferment Lysate	CLR	3.00
E	Belides™ ORG	Bellis Perennis (Daisy) Flower Extract	CLR	3.00
E	SynCrystal Spring Gold	Synthetic Fluorophlogopite Titanium Dioxide Iron Oxides Tin Oxide	Eckart	0.21
				100.00

Operating Instructions

Mix A and stir until completely dispersed. Add B and premixed C to A. Heat up ABC & D to 75°C separately. Add D to ABC and homogenize for 30 seconds at 10000 rpm with Ultra Turrax. Cool down while stirring and add E in this order.

Directions for use:

Apply a generous amount in a covering layer on the cleansed skin of the face and let the mask work for 10-20 minutes. Rinse-off with lukewarm water or remove with a washcloth. Apply the mask 2 to 3 times a week.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com