



Repair Essence
II-30.431.04_1

<i>Phase</i>	<i>Material Name</i>	<i>US INCI</i>	<i>Supplier</i>	<i>% Material</i>
A	Deionized Water	Water	N.A.	77.30
A	EDETA B Powder	Tetrasodium EDTA	BASF	0.20
A	Glycerin 86%	Glycerin Water	Gustav Heess	3.00
A	Keltrol CG-BT	Xanthan Gum	CP Kelco	0.10
A	Aristoflex Velvet	Polyacrylate Crosspolymer-11	Clariant	0.50
B	Repair Complex CLR™ PF	Bifida Ferment Lysate	CLR	10.00
B	SyriCalm™ CLR (PC)	Water Phragmites Communis Extract Poria Cocos Extract	CLR	3.00
B	Phytosan™ K	Water Glycerin Glycine Soja (Soybean) Seed Extract	CLR	5.00
B	Euxyl PE9010	Phenoxyethanol Ethylhexylglycerin	Ashland	0.80
C	NaOH (32%)	Water Sodium Hydroxide	N.A.	0.05
D	SynCrystal Silk Silver	Synthetic Fluorophlogopite Titanium Dioxide Tin Oxide	Eckart	0.05
				100.00

Operating Instructions

Mix A and stir until completely dispersed. Add B in this order and stir until uniform. Add C and adjust pH value to 5-5.5 with C. Add D as desired.

Directions for use:

Take a few drops of the essence and gently massage into the skin.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com