



Moonlight Primer Gel
II-36.385.04A

Phase	Material Name	US INCI	Supplier	% Material
A	Deionized Water	Water	N.A.	87.91
A	Euxyl K 900	Benzyl Alcohol Ethylhexylglycerin Tocopherol	Ashland	0.80
A	Sepimax ZEN	Polyacrylate Crosspolymer-6	SEPPIC	1.50
B	MultiMoist CLR™	Fructooligosaccharides Beta Vulgaris (Beet) Root Extract Water	CLR	3.00
B	ProRenew Complex CLR™	Lactococcus Ferment Lysate	CLR	3.00
C	NaOH (32%)	Water Sodium Hydroxide	N.A.	0.15
D	AnnonaSense CLR™	Annona Cherimola Fruit Extract	CLR	3.00
D	SynCrystal Silk Silver	Synthetic Fluorphlogopite Titanium Dioxide Tin Oxide	Eckart	0.40
D	SynCrystal Spring Gold	Synthetic Fluorphlogopite Titanium Dioxide Iron Oxides Tin Oxide	Eckart	0.10
E	Perfume Tilia WS	Fragrance	Voegele	0.14
				100.00

Operating Instructions

Mix A until completely soaked. Add B in this order, stir until homogeneous and adjust pH value to 5.5-6 with C. Add D and stir. Add E as desired.

Directions for use:

Take a pea-sized amount and gently apply to the skin. Wait 5-10 minutes till its dry and enjoy your dewy glowing silky skin.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com