



Natural Jelly Gel Mask  
II-43.385.01\_1

<b>Phase</b>	<b>Material Name</b>	<b>US INCI</b>	<b>Supplier</b>	<b>% Material</b>
A	Deionized Water	Water	N.A.	86.48
A	A-Leen 5	Pentylene Glycol	Minasolve	5.00
A	Dissolvine GL-38	Tetrasodium Glutamate Diacetate Water Sodium Hydroxide	Nouryon	0.05
B	Viscarin PC 389	Carrageenan Glucose	DuPont	1.00
C	<b>MultiMoist CLR™</b>	Fructooligosaccharides Beta Vulgaris (Beet) Root Extract Water	CLR	3.00
C	<b>Phytosan™ K</b>	Water Glycerin Glycine Soja (Soybean) Seed Extract	CLR	2.00
C	Trisodium Citrate Dihydrate	Sodium Citrate	Merck	0.16
D	NaOH (10%)	Water Sodium Hydroxide	N.A.	0.31
E	<b>ProBioBalance CLR™ NP</b>	Water Lactose Milk Protein Bifida Ferment Lysate	CLR	2.00
				<b>100.00</b>

#### **Operating Instructions**

Mix A and stir until a homogeneous solution is obtained. Add B and homogenize for 5 minutes. Add C in this order, one after another and stir. Adjust pH value to 6.3-6.5 with D and add E. Mix until uniform.

Directions for use:

Take a pea-sized amount and gently massage into the skin; leave on for approx.10 minutes. Then remove by tissue if necessary.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - [www.clr-berlin.com](http://www.clr-berlin.com)