

## Skin Renewal Serum pH 3 II-46.138.04A

Phase	Material Name	US INCI	Supplier	% Material
A	Deionized Water	Water	N.A.	79.77
Α	Glycerol 85%, vegetable Ph. Eur.	Glycerin	Gustav Heess	5.00
Α	Trisodium Citrate Dihydrate	Sodium Citrate	Merck	0.47
Α	Sepimax ZEN	Polyacrylate Crosspolymer-6	SEPPIC	1.00
A	Euxyl K 900	Benzyl Alcohol Ethylhexylglycerin Tocopherol	Ashland	0.80
A	CutiGuard CLR™	Betaine Sucrose Hydrolyzed Rhodophyceae Extract Water	CLR	3.00
A	ProRenew Complex CLR™	Lactococcus Ferment Lysate	CLR	3.00
В	Mandelic Acid	Mandelic Acid	R.L. Chemical Industries Pvt.	5.00
С	NaOH (32%)	Water Sodium Hydroxide	N.A.	0.26
D	Perfume Aloe Stars	Fragrance	Voegele	0.20
D	Oramix CG 110	Caprylyl/Capryl Glucoside	SEPPIC	1.50
				100.00

## **Operating Instructions**

Mix A in this order and stir until homogeneous. Add B while stirring and adjust pH value to 3-3.5 with C. Add D as desired. Stir until homogeneous.

## Directions for use:

Saturate a cotton pad with the serum. Sweep across face, neck and décolletage, avoiding the eye area. Always use SPF and limit sun exposure after using this product.

 $The \ recommendations \ and \ formulations \ given \ are \ based \ on \ our \ knowledge \ and \ experience \ in \ the \ field \ of \ technical \ application.$ 

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com