



## Glow Up - AHA Skin Peeling Liquid

II-51.136.01\_1

<b>Phase</b>	<b>Material Name</b>	<b>US INCI</b>	<b>Supplier</b>	<b>% Material</b>
A	Deionized Water	Water	N.A.	74.55
A	Verdessence Xanthan	Xanthan Gum	BASF	0.25
A	A-Leen 5	Pentylene Glycol	Minasolve	5.00
A	Glycerol 85%, vegetable Ph. Eur.	Glycerin	Gustav Heess	3.00
B	Glypure Glycolic Acid 70	Glycolic Acid	PureTech Scientific	7.00
B	<b>CutiFine CLR™</b>	Water Gypsophila Vaccaria Flower/Leaf/Stem Extract Adansonia Digitata Pulp Extract	CLR	3.00
B	<b>CutiGuard CLR™</b>	Betaine Sucrose Hydrolyzed Rhodophyceae Extract Water	CLR	3.00
B	<b>MultiMoist CLR™</b>	Fructooligosaccharides Beta Vulgaris (Beet) Root Extract Water	CLR	3.00
C	NaOH (32%)	Water Sodium Hydroxide	N.A.	1.20
				<b>100.000000</b>

### **Operating Instructions**

Mix A and stir until uniform. Add B in this order and stir. Adjust pH value to 3.2-3.5 with C.

Direction for use:

Apply a generous amount to the face and neck once a week in the evening after cleansing. A slight tingling sensation is normal. Leave on for 1–3 minutes and rinse off with cold water. Depending on your skin condition, the peel can be used more or less frequently during the week. Follow with a moisturizer and use sun protection in the morning to protect the skin.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - [www.clr-berlin.com](http://www.clr-berlin.com)