



Glo(w)rious Serum
II-56.231.04

| Phase | Material Name | US INCI | Supplier | % Material |
|--------------|----------------------------------|---|-----------------------|-------------------|
| A | Deionized Water | Water | N.A. | 80.86 |
| B | Glycerol 85%, vegetable Ph. Eur. | Glycerin | Gustav Heess | 3.00 |
| B | Zemea | Propanediol | Primient Covation LLC | 4.00 |
| B | Viscarin PC 209 | Carrageenan | DuPont | 1.00 |
| B | Keltrol T Plus | Xanthan Gum | CP Kelco | 0.10 |
| C | G+C Complex CLR™ | Bifida Ferment Lysate | CLR | 3.00 |
| C | CutiFine CLR™ | Water Gypsophila Vaccaria Flower/Leaf/Stem Extract Adansonia Digitata (Baobab) Pulp Extract | CLR | 3.00 |
| C | CutiGuard CLR™ | Betaine Sucrose Hydrolyzed Rhodophyceae Extract Water | CLR | 3.00 |
| C | NaOH (32%) | Water Sodium Hydroxide | N.A. | 0.04 |
| C | Dermosoft 1388 eco | Glycerin Water Sodium Levulinate Sodium Anisate | Evonik | 2.00 |
| | | | | 100.00 |

Operating Instructions

Premix B and add to A while stirring. Add C in this order and stir until uniform. Adjust pH value to 5.3-5.5.

Directions for use:

Take a pea-sized amount and gently massage into the skin.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com