



Brightening Emulsion WO
III-3.128.01

<i>Phase</i>	<i>Material Name</i>	<i>US INCI</i>	<i>Supplier</i>	<i>% Material</i>
A	Abil EM 180	Cetyl PEG/PPG-10/1 Dimethicone	Evonik	2.50
A	Tegosoft OS	Ethylhexyl Stearate	Evonik	5.00
A	Xiameter PMX-200 Silicone Fluid 5cs	Dimethicone	Dow	10.00
A	UV Cut TiO2-55-CG	Titanium Dioxide Caprylic/Capric Triglyceride Stearic Acid Alumina Polyhydroxystearic Acid	Grant Industries	22.50
B	Deionized Water	Water	N.A.	48.15
B	Sodium Chloride	Sodium Chloride	N.A.	2.00
B	Propylene Glycol	Propylene Glycol	BASF	2.00
B	EDETA B Powder	Tetrasodium EDTA	BASF	0.05
B	Euxyl PE9010	Phenoxyethanol Ethylhexylglycerin	Ashland	0.80
B	Phytosan™ K	Water Glycerin Glycine Soja (Soybean) Seed Extract	CLR	2.00
B	Belides™ ORG	Bellis Perennis (Daisy) Flower Extract	CLR	5.00
				100.00

Operating Instructions

Mix A and B separately and stir until uniform. Slowly add B to A while stirring/homogenizing. Mix until uniform.

Directions for use:

Gently apply to face and neck for instant coverage and for protection. Reapply as needed.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com