



Conditioning Styling Foam
V-30.385.02A

Phase	Material Name	US INCI	Supplier	% Material
A	Deionized Water	Water	N.A.	70.12
A	Amaze SP	Sodium Polyitaconate	Nouryon	3.00
B	Microcare SB	Water Sodium Benzoate Potassium Sorbate	THOR	0.50
B	Zemea	Propanediol	DuPont Tate & Lyle	2.00
B	MultiMoist CLR™	Fructooligosaccharides Beta Vulgaris (Beet) Root Extract Water	CLR	1.00
C	Rewoteric AM C MB	Sodium Cocoamphoacetate	Evonik	4.00
C	Dermofeel G 10 LW 70 MB	Polyglyceryl-10 Laurate Water Citric Acid	Evonik	4.00
C	Aromatic Mango Extract Blend N36009	Available on request	Carrubba	0.25
D	Oramix CG 110	Caprylyl/Capryl Glucoside	SEPPIC	3.30
D	Vitamin F forte	Linoleic Acid Linolenic Acid	CLR	0.50
D	Copherol F 1300 C	Tocopherol	BASF	0.01
E	Ethanol (96%)	Alcohol	Berkel AHK	10.00
F	Puricolor Red ARE 33 (0,02%) / Blue ABL9-X FDA (0,01%)	Water Acid Red 33 Acid Blue 9	N.A.	0.50
G	Citric Acid (50%)	Citric Acid Water	N.A.	0.82
				100.00

Operating Instructions

Add Amaze SP to warm water ~40°C and stir until completely dissolved. Add B in this order and mix until uniform. Premix C/D and add it to AB while stirring. Add E/F and adjust pH value with F to 4.8-5.3. Fill into foam dispenser.

Directions for use:

Apply evenly onto washed and towel-dried hair and use a hairdryer to form the hair or style as usual.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com