



After Shave Gel Fluid for Men

Glycoderm™ (P)

FORMULA No. 205.23.0244

| Phase | Trade Name | INCI Name | w/w % | Supplier |
|-------|-----------------------|--|------------|-------------|
| A | Water | Water | ad 100 | |
| | Keltrol CG-SFT | Xanthan Gum | 0.2 | CP Kelco |
| | Glycerin | Glycerin | 3.0 | |
| B | Dry-Flo PC | Aluminum Starch Octenylsuccinate | 1.0 | Akzo Nobel |
| | Capigel 98 | Acrylates Copolymer | 2.0 | Seppic |
| C | Xiameter PMX-0345 | Cyclopentasiloxane, Cyclohexasiloxane | 3.0 | Dow Corning |
| D | Ethanol (96%) | Alcohol Denat. | 5.0 | |
| E | Euxyl K702* | Phenoxyethanol, Benzoic Acid, Dehydroacetic Acid, Aqua, Ethylhexylglycerin, Polyaminopropyl Biguanide | 0.5 | Schülke |
| F | Aristoflex AVC | Ammonium Acryloyldimethyltaurate/VP Copolymer | 0.75 | Clariant |
| G | Glycoderm™ (P) | Water, Honey, Phospholipids, Sphingolipids, Hyaluronic Acid | 3.5 | CLR |

Manufacture

Mix A until completely dispersed. Add the other ingredients in the given order and stir until homogenous.



The recommendations and formulations given are based on our knowledge and experience in the field of technical application. They are, to the best of our belief, correct, but are offered without obligation. Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

*) This formula has been manufactured and stability tested using a special preservative, but has not been subjected to microbiological challenge tests.