



## Emulsifier-free Cream-Gel (O/W)

### Ceramide Complex CLR™ K

#### FORMULA No. 105.06.0637

Phase	Trade Name	INCI Name	w/w %	Supplier
A	Monestriol IC	Isocetyl Stearate	6.0	Undesa
	Prisorine 2039	Isostearyl Isostearate	3.5	Croda
	Ceraphyl 368	Ethylhexyl Palmitate	2.4	Ashland
B	Aristoflex AVL	Caprylic/Capric Triglyceride, Ammonium Acryloyldimethyltaurate/VP Copolymer, Trilaureth-4 Phosphate, Polyglyceryl-2 Sesquiisostearate	1.0	Clariant
C	Water	Water	ad 100	
	Karion F	Sorbitol	7.0	Merck
	Euxyl PE 9010*	Phenoxyethanol, Ethylhexylglycerin	0.8	Schülke
D	<b>Ceramide Complex CLR™ K</b>	Water, Phospholipids, Sphingolipids	<b>5.0</b>	<b>CLR</b>

### Manufacture

Mix A until completely homogenous. Add B and stir until uniform. Slowly add phase C while strong stirring and homogenize for 2 minutes. Add D and stir until homogenous.



The recommendations and formulations given are based on our knowledge and experience in the field of technical application. They are, to the best of our belief, correct, but are offered without obligation. Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

\*) This formula has been manufactured and stability tested using a special preservative, but has not been subjected to microbiological challenge tests.