



Pro-Youth Cream for Men (O/W)

Repair Complex CLR™ PF, MPC™- Milk Peptide Complex

FORMULA No. 431.23.0792

Phase	Trade Name	INCI Name	w/w %	Supplier
A	Deionized Water	Water	ad 100	
	Glycerin	Glycerin	2.0	
	Keltrol T	Xanthan Gum	0.6	CP Kelco
B	Emulsiphos	Potassium Cetyl Phosphate, Hydrogenated Palm Glycerides	1.5	Symrise
	Cutina GMS-V	Glyceryl Stearate	2.0	BASF
	Tegosoft DEC	Diethylhexyl Carbonate	1.0	Evonik
	Copherol 1250	Tocopheryl Acetate	0.5	BASF
	Lanette O	Cetearyl Alcohol	3.0	BASF
	Xiameter PMX-0245 Fluid	Cyclopentasiloxane	2.0	Dow Corning
	Uvinul MC 80	Ethylhexyl Methoxycinnamate	6.0	BASF
	Eusolex 9020	Butyl Methoxydibenzoylmethane	2.0	Merck
	Dissolvine GL-38	Tetrasodium Glutamate Diacetate	0.3	Akzo Nobel
C	MPC™- Milk Peptide Complex	Whey Protein	0.5	CLR
	Trisodium Citrate Dihydrate	Sodium Citrate	0.12	
	Water	Water	9.38	
D	Repair Complex CLR™ PF	Bifida Ferment Lysate	5.0	CLR
	Symdiol-68*	1,2-Hexanediol, Caprylyl Glycol	1.0	Symrise
E	Perfume Oil Ocean	Parfum	0.3	Holland Aromatics

Manufacture

Mix A and stir until completely dispersed. Heat up A and B to 80°C separately. Add A to B and homogenize for 5 minutes. Cool down while stirring and add predispersed phase C to AB at room temperature. Add D and E in the given order. Stir until homogenous.



The recommendations and formulations given are based on our knowledge and experience in the field of technical application. They are, to the best of our belief, correct, but are offered without obligation. Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

*) This formula has been manufactured and stability tested using a special preservative, but has not been subjected to microbiological challenge tests.