



Intensive After Sun Jelly Gel Mask  
II-44.231.04

<b>Phase</b>	<b>Material Name</b>	<b>US INCI</b>	<b>Supplier</b>	<b>% Material</b>
A	Deionized Water	Water	N.A.	85.73
A	Viscarin PC 389	Carrageenan Glucose	IFF	1.00
A	Keltrol CG-T V [E]	Xanthan Gum	CP Kelco	0.25
B	Zemea	Propanediol	Primient Covation LLC	4.00
B	Trisodium Citrate Dihydrate	Sodium Citrate	Merck	0.25
B	<b>MultiMoist CLR™</b>	Fructooligosaccharides Beta Vulgaris (Beet) Root Extract Water	CLR	3.00
B	Euxyl K 900	Benzyl Alcohol Ethylhexylglycerin Tocopherol	Ashland	0.55
B	<b>G+C Complex CLR™</b>	Bifida Ferment Lysate	CLR	5.00
C	NaOH (10%)	Water Sodium Hydroxide	N.A.	0.22
				<b>100.000000</b>

**Operating Instructions**

Mix A and homogenize. Add B in this order and adjust pH value to 5.5-6 with C.

Directions for use:

Apply the mask on cleansed skin generously. Leave-on for 10-15 minutes and massage into skin.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - [www.clr-berlin.com](http://www.clr-berlin.com)