

PROJECT NAME : MultiMoist CLR™



FORMULA NAME : All-Day Mask 24/7 OW

TRIAL CODE : 385.001.04

### Lab Formula INCI Supplier

Phase	Material Name	Mixed INCI	Supplier	% Material
A	DEIONIZED WATER	WATER	N.A.	76.75
A	EUXYL PE9010	PHENOXYETHANOL ETHYLHEXYLGLYCERIN	SCHUELKE	0.70
B	RHEOCARE XGN	XANTHAN GUM	BASF	0.30
B	EMULGADE SUCRO PLUS	SUCROSE POLYSTEARATE CETYL PALMITATE	BASF	3.50
B	EUMULGIN SG	SODIUM STEAROYL GLUTAMATE	BASF	0.25
B	CUTINA GMS-V	GLYCERYL STEARATE	BASF	2.00
B	LANETTE O	CETEARYL ALCOHOL	BASF	2.00
B	CETIOL 868	ETHYLHEXYL STEARATE	BASF	4.00
B	CETIOL SB 45	BUTYROSPERMUM PARKII BUTTER	BASF	3.00
B	CETIOL SENSOFT	PROPYLHEPTYL CAPRYLATE	BASF	4.00
B	COSMEDIA SP	SODIUM POLYACRYLATE	BASF	0.50
C	MULTIMOIST CLR™	FRUCTOOLIGOSACCHARIDES BETA VULGARIS (BEET) ROOT EXTRACT WATER	CLR	3.00
				<b>100.00</b>

### Operating instructions

#### Operating Instructions

Mix A and predisperse until homogenous. Heat up A and B to 80°C separately. Add A to B and homogenize for a short moment. Cool down under stirring slowly. Add C in the given order below 30°C. Adjust pH value 5.5-6 if necessary.

Directions for use:

Take a pea-sized drop of the mask and gently massage into the skin.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - [www.clr-berlin.com](http://www.clr-berlin.com)