



Color Change Day Care OW
I-17.110.01A

Phase	Material Name	US INCI	Supplier	% Material
A	Montanov 68 MB	Cetearyl Alcohol Cetearyl Glucoside	SEPPIC	3.00
A	Montanov 202	Arachidyl Alcohol Behenyl Alcohol Arachidyl Glucoside	SEPPIC	3.00
A	Eutanol G	Octyldodecanol	BASF	2.00
A	Cetiol C 5C	Coco-Caprylate/Caprates	BASF	5.00
A	Cutina FS 45	Stearic Acid Palmitic Acid	BASF	1.00
B	Deionized Water	Water	N.A.	68.35
B	Rheocare XGN	Xanthan Gum	BASF	0.30
B	Pentylene Glycol	Pentylene Glycol	Cosnaderm	5.00
C	ProRenew Complex CLR™	Lactococcus Ferment Lysate	CLR	3.00
C	MultiMoist CLR™	Fructooligosaccharides Beta Vulgaris (Beet) Root Extract Water	CLR	3.00
D	NaOH (32%)	Water Sodium Hydroxide	N.A.	0.15
E	AnnonaSense CLR™	Annona Cherimola Fruit Extract	CLR	3.00
E	RonaFlair Balance Gold	Titanium Dioxide Mica Tin Oxide	Merck	2.00
E	Perfume Nat. Creme de Luxe	Fragrance	Frey+Lau	0.20
F	Cameleon CelluBrown	Iron Oxides Titanium Dioxide Cellulose Acetate Magnesium Stearate Propylene Glycol Stearate Ethyl Cellulose	Tagra	1.00
				100.00

Operating Instructions

Mix A and B, heat up both phases to 85°C separately. Add B to A and homogenize for 3 minutes with Ultra Turrax. Cool down while stirring slowly and add C below 30°C, one after another and stir. Adjust pH value 5.3-6 with D. Add E and mix until uniform. Add F with moderate stirring (Anchor stirrer is recommended).

Directions for use:

Apply as a last step in your skincare regimen. Take a pea sized amount and gently massage into the skin.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com