

Hydra Body Lotion OW I-38.106.03A

| Phase | Material Name | US INCI | Supplier | % Material |
|-------|----------------------------------|--|--------------|------------|
| A | Cosmedia SP | Sodium Polyacrylate | BASF | 0.50 |
| A | Eumulgin SG | Sodium Stearoyl Glutamate | BASF | 0.25 |
| A | Cutina PES | Pentaerythrityl Distearate | BASF | 1.00 |
| A | Cetiol LC | Coco-Caprylate/Caprate | BASF | 6.00 |
| A | Cetiol CC | Dicaprylyl Carbonate | BASF | 1.00 |
| A | Dermofeel Toco 70 non GMO | Tocopherol Helianthus Annuus (Sunflower) Seed Oil | Evonik | 0.30 |
| A | Myritol 318 MB | Caprylic/Capric Triglyceride | BASF | 1.55 |
| В | Deionized Water | Water | N.A. | 80.45 |
| В | Glycerol 85%, vegetable Ph. Eur. | Glycerin | Gustav Heess | 3.00 |
| С | Ceramide Complex CLR PE-F | Water Pentylene Glycol Phospholipids Sphingolipids | CLR | 5.00 |
| С | Euxyl K 900 | Benzyl Alcohol Ethylhexylglycerin Tocopherol | Ashland | 0.80 |
|) | Perfume Tilia WS | Fragrance | Voegele | 0.15 |
| | | | | 100.00 |

Operating Instructions

Heat up A to 75°C and add B. Homogenize for 3 minutes and cool down while stirring. Add C in this order and stir until uniform. Add D as desired.

Directions for use:

Apply on the whole body and gently massage into the skin.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com