



Anti-Stress Body Cream Gel OW  
I-42.441.01\_1

<i>Phase</i>	<i>Material Name</i>	<i>US INCI</i>	<i>Supplier</i>	<i>% Material</i>
A	Deionized Water	Water	N.A.	78.28
A	Euxyl PE9010	Phenoxyethanol Ethylhexylglycerin	Ashland	0.50
A	Zemea	Propanediol	DuPont Tate & Lyle	3.00
A	Hispagel 200 Ns	Glycerin Glyceryl Polyacrylate	BASF	8.00
A	Aristoflex Velvet	Polyacrylate Crosspolymer-11	Clariant	1.00
B	Emulgade CPE	Vegetable Oil Glycerin Lauryl Glucoside Polyglyceryl-2 Dipolyhydroxystearate Glyceryl Oleate Dicaprylyl Carbonate	BASF	4.00
C	NaOH (10%)	Water Sodium Hydroxide	N.A.	0.22
D	<b>ProBioBalance CLR™ NP</b>	Water Lactose Milk Protein Bifida Ferment Lysate	CLR	5.00
				<b>100.00</b>

#### ***Operating Instructions***

Mix A in this order and stir until uniform. Add B and homogenize for 3 minutes. Adjust pH value to 6-6.5 with C. Add D and stir until homogeneous.

Directions for use:

Apply to skin and gently massage until absorbed.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - [www.clr-berlin.com](http://www.clr-berlin.com)