



Derma IQ Smart Purifying Mask OW  
I-5.385.01A

<i>Phase</i>	<i>Material Name</i>	<i>US INCI</i>	<i>Supplier</i>	<i>% Material</i>
A	Deionized Water	Water	N.A.	51.52
A	Euxyl PE9010	Phenoxyethanol Ethylhexylglycerin	Ashland	0.70
B	Rheocare XGN	Xanthan Gum	BASF	0.30
B	Emulgade PL 68/50	Cetearyl Alcohol Cetearyl Glucoside	BASF	3.50
B	Eumulglin SG	Sodium Stearoyl Glutamate	BASF	0.25
B	Cutina GMS-V	Glyceryl Stearate	BASF	2.00
B	Lanette O MB	Cetearyl Alcohol	BASF	2.00
B	Cetiol 868	Ethylhexyl Stearate	BASF	4.00
B	Cetiol SB 45	Butyrospermum Parkii (Shea) Butter	BASF	3.00
B	Cetiol OE	Dicaprylyl Ether	BASF	4.00
B	Cetiol J 600	Oleyl Erucate	BASF	6.50
B	Cosmedia SP	Sodium Polyacrylate	BASF	0.50
C	<b>ProRenew Complex CLR™</b>	Lactococcus Ferment Lysate	CLR	3.00
C	<b>MultiMoist CLR™</b>	Fructooligosaccharides Beta Vulgaris (Beet) Root Extract Water	CLR	3.00
D	Pharmakaolin B860	Kaolin	HPF The Mineral Engineers	5.00
D	Deionized Water	Water	N.A.	10.00
D	Timica Radiant Gold 222G	Mica Titanium Dioxide Iron Oxides	BASF	0.60
E	Perfume Skin to Skin	Fragrance	VOEGELE	0.13
				<b>100.00</b>

#### ***Operating Instructions***

Mix A and B separately, heat up to 85°C. Add A to B and homogenize for 2 minutes. Cool down under stirring. Add C in this order and stir. Predisperse D and add to ABC under stirring. Add E as desired.

Directions for use:

Apply a generous amount in a covering layer on the cleansed skin of the face and let the mask work for 5 to 10 minutes. Thoroughly rinse with lukewarm water or remove with a cloth. Apply the mask 2 to 3 times a week, more often if necessary.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - [www.clr-berlin.com](http://www.clr-berlin.com)