



Happy Barrier Body Lotion OW
I-93.950.02

Phase	Material Name	US INCI	Supplier	% Material
A	Glycerol 85%, vegetable Ph. Eur.	Glycerin	Gustav Heess	6.00
A	Genuvisco CG-131	Carrageenan	CP Kelco	0.30
B	Keltrol T Plus	Xanthan Gum	CP Kelco	0.23
B	Deionized Water	Water	N.A.	46.52
B	Nipaguard SCE	Sorbitan Caprylate Propanediol Benzoic Acid	Clariant	1.40
B	NaOH (32%)	Water Sodium Hydroxide	N.A.	0.20
C	Vitamin F forte	Linoleic Acid Linolenic Acid	CLR	1.00
C	Dermofeel Toco 70 non GMO	Tocopherol Helianthus Annuus (Sunflower) Seed Oil	Evonik	0.05
C	Cetiol J 600	Oleyl Erucate	BASF	12.00
C	Cetiol C 5C	Coco-Caprylate/Caprata	BASF	12.00
C	Myritol 318 MB	Caprylic/Capric Triglyceride	BASF	12.05
C	Sisterna SP70-C	Sucrose Stearate	Sisterna	3.25
D	MultiMoist CLR™	Fructooligosaccharides Beta Vulgaris (Beet) Root Extract Water	CLR	3.00
D	Ceramide Complex CLR PE-F	Water Pentylene Glycol Phospholipids Sphingolipids	CLR	2.00
				100.00

Operating Instructions

Predisperse A. Mix B and C separately. Add A to B and stir until homogeneous. Add C to AB and homogenize for 3 minutes. Add D in this order and stir until uniform.

Directions for use:

Apply on your body and gently massage into the skin.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com