



Multi Tasking Glow Treatment
II-1.421.01A

Phase	Material Name	US INCI	Supplier	% Material
A	Deionized Water	Water	N.A.	89.27
A	Sodium Gluconate Powder	Sodium Gluconate	Jungbunzlauer	0.10
A	Amaze XT	Dehydroxanthan Gum	Nouryon	0.50
B	Microcare BDAB	Phenylpropanol Benzyl Alcohol Benzoic Acid Dehydroacetic Acid	THOR	1.00
B	ProRenew Complex CLR™	Lactococcus Ferment Lysate	CLR	3.00
B	Belides™ ORG	Bellis Perennis (Daisy) Flower Extract	CLR	2.00
C	NaOH (32%)	Water Sodium Hydroxide	N.A.	0.18
D	AnnonaSense CLR™	Annona Cherimola Fruit Extract	CLR	3.00
D	Dermofeel G 10 LW 70 MB	Polyglyceryl-10 Laurate Water Citric Acid	Evonik	0.60
D	Perfume Vedic	Fragrance	Frey+Lau	0.10
D	SynCrystal Ivory	Synthetic Fluorophlogopite Titanium Dioxide Iron Oxides Tin Oxide	Eckart	0.25
				100.00

Operating Instructions

Mix A and stir until uniform. Add B in the given order and adjust pH value to 5.3-6 with C. Add D in this order and stir until homogeneous.

Directions for use:

Take a few drops and apply on the whole face or cheeks.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com