



HappyGlow Sparkling Body Mist
II-14.385.03A

| <i>Phase</i> | <i>Material Name</i> | <i>US INCI</i> | <i>Supplier</i> | <i>% Material</i> |
|--------------|-----------------------------|---|----------------------|-------------------|
| A | Deionized Water | Water | N.A. | 81.30 |
| A | Avicel PC 611 | Microcrystalline Cellulose Cellulose Gum | DuPont | 1.50 |
| A | Amaze XT | Dehydroxanthan Gum | Nouryon | 0.20 |
| A | Pentylene Glycol | Pentylene Glycol | Cosnaderm | 5.00 |
| A | Zemea | Propanediol | DuPont Tate & Lyle | 5.00 |
| B | MultiMoist CLR™ | Fructooligosaccharides Beta Vulgaris (Beet) Root Extract Water | CLR | 3.00 |
| B | AnnonaSense CLR™ | Annona Cherimola Fruit Extract | CLR | 3.00 |
| C | NaOH (32%) | Water Sodium Hydroxide | N.A. | 0.30 |
| D | Perfume Moroccan Fig N32799 | Fragrance | Carrubba | 0.20 |
| E | Sachet Opal Lemon Green | Synthetic Fluorphlogopite Titanium Dioxide Silica Tin Oxide Yellow 5 Lake | Sandream Specialties | 0.15 |
| E | Timica Silver Sparkle 5500 | Mica Titanium Dioxide | BASF | 0.35 |
| | | | | 100.00 |

Operating Instructions

Disperse Avicel PC 611 & Amaze XT into water using high shear (e.g. rotor-stator mixer for 5 minutes). Add B and adjust pH value to 5.5 with C. Add D,E and stir until uniform. (Anchor stirrer is recommended).

Directions for use:

Spray all over the parts of your body and enjoy sparkling shimmer.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com