



Scalp Micellar Tonic
II-2.135.01_1

<i>Phase</i>	<i>Material Name</i>	<i>US INCI</i>	<i>Supplier</i>	<i>% Material</i>
A	Tego Solve 61 MB	Polyglyceryl-6 Caprylate Polyglyceryl-3 Cocoate Polyglyceryl-4 Caprate Polyglyceryl-6 Ricinoleate	Evonik	6.00
A	CutiBiome CLR™	Octyldodecanol Leptospermum Scoparium Branch/Leaf Oil Piper Nigrum Seed Extract Magnolia Officinalis Bark Extract	CLR	1.50
A	Rheance One	Glycolipids	Evonik	2.00
B	Deionized Water	Water	N.A.	84.29
B	MultiMoist CLR™	Fructooligosaccharides Beta Vulgaris (Beet) Root Extract Water	CLR	3.00
B	Dermosoft OMP	Methylpropanediol Caprylyl Glycol Phenylpropanol	Evonik	3.00
C	NaOH (32%)	Water Sodium Hydroxide	N.A.	0.21
				100.00

Operating Instructions

Dissolve A and stir well. Slowly add B in the given order and mix until uniform. Adjust pH value to 6 with C.

Directions for use:

Hold bottle 8-10cm (4-6 inches) away from target area. Apply as desired and massage in gently.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application. They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com