



Beard & Hair Nutrient
II-21.176.03_1

| Phase | Material Name | US INCI | Supplier | % Material |
|-------|------------------------------|--|--------------------|---------------|
| A | Deionized Water | Water | N.A. | 79.49 |
| A | Keltrol CG-BT | Xanthan Gum | CP Kelco | 0.30 |
| A | Trisodium Citrate Dihydrate | Sodium Citrate | Merck | 0.10 |
| A | Zemea | Propanediol | DuPont Tate & Lyle | 5.00 |
| A | A-Leen 5 | Pentylene Glycol | Minasolve | 5.00 |
| B | Follicusan™ DP | Water Alcohol Denat. Panthenyl Ethyl Ether Milk Protein Lactose Inositol Acetyl Cysteine Acetyl Methionine Sodium Citrate Citric Acid | CLR | 5.00 |
| B | ProBioBalance CLR™ NP | Water Lactose Milk Protein Bifida Ferment Lysate | CLR | 5.00 |
| C | Citric Acid (10%) | Water Citric Acid | N.A. | 0.11 |
| | | | | 100.00 |

Operating Instructions

Mix A and stir until completely dispersed. Add B in this order and stir until uniform. Adjust pH value to 6-6.5 with C.

Directions for use:

Apply on the scalp/beard and gently massage.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com